

Notice of Allowability	Application No.	Applicant(s)	
	10/650,320	WOTTON, MICHAEL on	
	Examiner	Art Unit	
	Dmitry Suhol	3712	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to _____.
2. ☒ The allowed claim(s) is/are 1-17 and 20.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☒ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☒ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. <input type="checkbox"/> Notice of References Cited (PTO-892) 2. <input checked="" type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) 3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | <ol style="list-style-type: none"> 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____ 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance 9. <input type="checkbox"/> Other _____ |
|---|---|


DERRIS H. BANKS
 SUPERVISORY PATENT EXAMINER
 TECHNOLOGY CENTER 3700

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mark Conklin on May 27th, 2004.

The application has been amended as follows:

Claim 5, line 5, delete "...rear section..." and insert - - second section - -.

Claim 17, line 6, delete "...rear section..." and insert - - second section - -.

Claim 18 has been canceled.

Claim 19 has been canceled.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The specific limitations of (with respect to claim 1) "... a planar workspace in the first section surrounded by a workspace wall having a drain, the workspace for supporting a substrate upon which a watercolor paint design is created;

a channel around at least a portion of the planar workspace between the workspace wall and the outside wall, the channel being in communication with the drain

Art Unit: 3712

for receiving excess water from the workspace...a water reservoir containing a water supply, the water reservoir being removable held in the first recess;

a water reservoir handle extending over the water reservoir, the handle including at least one tool slot for receiving and holding a brush over the water reservoir..." and (with respect to claim 16) "...a water reservoir containing a water supply, the water reservoir being removable held in the first recess;

a water reservoir handle extending over the water reservoir, the handle including at least one tool slot for receiving and holding a brush over the water reservoir..." are not anticipated or obviated over the prior art of record in the examiners opinion. For example, Szekely discloses a water color apparatus which teaches a base tray (1), a planar workspace (interior of top cover 2), a plurality of brushes (8-10), a water reservoir (11), a paint holder (5) with a plurality of paint blocks (6). The structure of a support holding brushes over a liquid reservoir is well known and shown in French patent 2,604,374 A1, however there would be no motivation to incorporate the structure of patent FR 2604374 in the device of Szekely since the structure of the French patent is used to hold brushes (8) and (11) and meter the amount of liquid (9) to the brushes, while in the Szekely patent the liquid is metered to the brush by sponge block (12) and since Szekely already provides structures for holding the brushes in the top cover (2).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dmitry Suhol whose telephone number is 703-305-0085. The examiner can normally be reached on Mon - Friday 9am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Derris Banks can be reached on 703-308-1745. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ds


DERRIS H. BANKS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700